

stryker

Omega

Knotless Anchor System




The Omega Knotless Anchor System features a decoupled eyelet and screw construct which offers intraoperative and key advantages. The eyelet is independent of the screw and has a proprietary design to reposition during suture tensioning and customize its final position based on bone density. The decoupled eyelet also allows for an intraoperative change in screw size, or sizing up, without the removal of the eyelet or rethreading of the sutures.




Eyelet repositioning

As the suture limbs are tensioned, the eyelet is designed to move and customize its final position based on the patient's specific bone type.




Soft bone

In soft bone, the eyelet is designed to flip and move proxima lly until the eyelet barb engages with bone and reaches a secure position.



Hard bone

In hard bone, due to the bone's greater density, the eyelet is designed to engage more distally as sutures are tensioned.



Unobstructed complete cannulation

Omega screws have been designed to offer unobstructed complete cannulation due to the decoupled eyelet and screw construct and the eyelet's ability to reposition itself during deployment. Anchor cannulation may facilitate the exchange of blood and other autologous cells.

Guiding suture path

Sutures from the previously inserted eyelet will create a suture path and facilitate the insertion point for the screw.

Ease of sizing up

The design of the system allows for the surgeon to intraoperatively size up to a 6.5mm screw without removing the eyelet or rethreading the sutures.





Double-Double

The Omega system offers the ability to intraoperatively reload disposable instrumentation with a second set of implants.



Implants

Part number	Description
3910500392	Omega, 3.9mm PEEK Knotless Anchor System, Double-Double
3910500472	Omega, 4.75mm PEEK Knotless Anchor System, Double-Double

Reusable instrumentation

Part number	Description
3910500393	Omega, 3.9mm Omega Drill
3910500394	Omega, 3.9mm Omega Tap
3910500395	Omega, 3.9mm Omega Awl
3910500473	Omega, 4.75mm Omega Drill
3910500474	Omega, 4.75mm Omega Tap
3910500475	Omega, 4.75mm Omega Awl
234020158	Multi Purpose T-Handle
234020117	Ratcheting Driver Handle

A second eyelet and screw are provided in the Double-Double configuration for two anchor cases.







4.75mm



Sports Medicine

This document is intended solely for the use of healthcare professionals. A surgeon must always rely on his or her own professional clinical judgment when deciding whether to use a particular product when treating a particular patient. We do not dispense medical advice and recommend that surgeons be trained in the use of any particular product before using it in surgery.

The information presented is intended to demonstrate Stryker's products. A surgeon must always refer to the package insert, product label and/ or instructions for use, including the instructions for cleaning and sterilization (if applicable), before using any of Stryker's products. Products may not be available in all markets because product availability is subject to the regulatory and/or medical practices in individual markets.

Please contact your representative if you have questions about the availability of Stryker's products in your area.

Stryker or its affiliated entities own, use, or have applied for the following trademarks or service marks: Omega and Stryker. All other trademarks are trademarks of their respective owners or holders.

 $The \ absence \ of \ a \ product, feature, \ or service \ name, \ or \ logo \ from \ this \ list \ does \ not \ constitute \ a \ waiver \ of \ Stryker's \ trademark \ or \ other \ intellectual$ property rights concerning that name or logo.

1000902904 Rev C

Copyright © 2020 Stryker

Sports Medicine 5670 Greenwood Plaza Blvd. Ste. 200 Greenwood Village, CO 80111

t: 866 596 2022 www.sportsmedicine.stryker.com